

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A method for executing a data operative transaction in a network having a source site and a destination site, the method comprising the steps of:
transmitting an initial transaction request message from said source site to said destination site;

receiving said transaction request message at said destination site;

~~establishing an association of~~generating a data entry related to the progress ofwith said data operative transaction in a destination database; and

preserving said association of said data entry with said data operative transaction in said destination database so long as said data operative transaction is active in said network.

C 2. (Previously Presented) The method of claim 1, comprising the further step of:
executing said data operative transaction at said destination site, thereby producing transaction results.

3. (Original) The method of claim 2, comprising the further step of:
where a prospective operation will override said transaction results in a memory board,
storing said transaction results in said destination database, thereby enabling retransmission of said transaction results if a further reservation request message is received at said destination site.

4. (Original) The method of claim 2, comprising the further step of:
transmitting said transaction results to said source site over said network.

5. (Original) The method of claim 1 comprising the further step of:
transmitting another transaction request message if no response is received from said destination site at said source site within a source site time-out period.

6. (Original) The method of claim 5, comprising the further step of:
deleting said initial transaction request message from the network if said transaction request message does not reach said destination site within a request message time-out period, wherein said source site time-out period exceeds said request message time-out period

to prevent having two transaction request messages simultaneously in transmission through said network.

7. (Previously Presented) The method of claim 4, comprising the further steps of:

upon receiving a duplicate transaction request message,
identifying the data entry in the destination database established for said data operative transaction;
acquiring said transaction results; and
retransmitting said acquired transaction results to said source site.

8. (Original) The method of claim 7, wherein the step of acquiring comprises: retrieving said transaction results from said destination database.

9. (Previously Presented) The method of claim 7, wherein the step of acquiring comprises:

executing said data operative transaction in response to said duplicate transaction request message, thereby producing said transaction results.

10. (Previously Presented) The method of step 4, comprising the further steps of: receiving said transmitted transaction results at said source site; and transmitting, from said source site to said destination site, a release request to delete said data entry associated with said data operative transaction in said destination database.

11. (Previously Presented) The method of step 10, comprising the further steps of:

receiving at said destination site, said release request to delete said data entry associated with said data operative transaction; and
deleting, within said destination database, said data entry associated with said data operative transaction, thereby liberating space in said destination database.

12. (Previously Presented) The method of step 11, comprising the further step of: transmitting, from said destination site to said source site, a release response message,

thereby indicating that said data entry associated with said data operative transaction in said destination database has been deleted.

13. (Original) The method of step 1, comprising the further step of:
wherein the source site includes a processor and an agent device,
delegating said step of transmitting said initial transaction request message to said agent device.

14. (Currently Amended) A system for reliably executing a data operative transaction at a destination site requested by a source site, the system comprising:
means for transmitting an initial transaction request message to said destination site from said source site;
means for executing said data operative transaction associated with said initial transaction request message at said destination site;
a reservation database at said destination site for storing information uniquely identifying and for storing information tracking the progress of said data operative transaction.

15. (Original) The system of claim 14, wherein the reservation database is a content addressable memory.

16. (Original) The system of claim 14, wherein the source site comprises:
a processor; and the destination site comprises:
a memory.

17. (Original) The system of claim 16, wherein the source site further comprises:
a processor agent device for conducting communication with said destination site,
thereby enabling said processor to efficiently concentrate on other tasks.

18. (Previously Presented) The system of claim 17, wherein the source site further comprises:
a source site database for preserving an identification and a status of said data operative transaction until said transaction is complete.

19. (Original) The system of claim 16, wherein the processor agent device comprises:

a timer for initiating a retransmission of said transaction request message if no message responsive to said initial transaction request message is received at said processor agent device upon expiration of a retransmission time-out period.

20. (Currently Amended) A system for executing a data operative transaction in a network having a source site and a destination site, the system comprising:

means for transmitting an initial transaction request message from said source site to said destination site;

means for receiving said transaction request message at said destination site;

means for establishing ~~an association of a~~ plurality of data entries with ~~related to~~ the progress of said data operative transaction in a destination database; and

means for preserving said ~~data entries~~ association of said data entry with said data ~~operative transaction~~ in said destination database so long as said data operative transaction is active in said network.

21. (Previously Presented) The method of claim 1 wherein said data operative transaction is one of a memory read and a memory write.

22. (Previously Presented) The system of claim 14 wherein said data operative transaction is one of a memory read and a memory write.

23. (Previously Presented) The system of claim 20 wherein said data operative transaction is one of a memory read and a memory write.

24. (Currently Amended) A method for executing a memory device control transaction in a network having a source site and a destination site, the method comprising the steps of:

transmitting an initial transaction request message from said source site to said destination site;

receiving said transaction request message at said destination site;

establishing ~~an association of a~~ plurality of data entries with ~~related to the~~ progress of said memory device control transaction in a destination database; and

preserving said association of said data entry with said memory device control
transaction in said destination database so long as said transaction is active in said network.
